

Doloshort

<p>Somatic complaints no complaints complaints expressed upon inquiry only occasional involuntary complains continuous involuntary complains</p>	<p>0 1 2 3</p>
<p>Protective body postures adopted at rest no protective body posture the patient occasionally avoids certain positions protective postures continuously and effectively sought protective postures continuously sought, without success</p>	<p>0 1 2 3</p>
<p>Protection of sore areas no protective action taken protective actions attempted without interfering against any investigation or nursing protective actions against any investigation or nursing protective actions taken at rest, even when not approached</p>	<p>0 1 2 3</p>
<p>Social life participates normally in every activity (meals, entertainment, therapy workshop) participates in activities when asked to do so only sometimes refuses to participate in any activity refuses to participate in anything</p>	<p>0 1 2 3</p>
<p>Problems of behavior normal behavior problems of repetitive reactive behavior problems of permanent reactive behavior permanent behavior problems (without any external stimulus)</p>	<p>0 1 2 3</p>

Pautex, S. Herrmann, F.R., Michon, A., Giannakopoulos, P., & Gold, G. (2007). Psychometric properties of the Doloplus-2 observational pain assessment scale and comparison to self-assessment in hospitalized elderly. *Clinical Journal of Pain*, 23(9), 774-779.