

## Checklist of Nonverbal Pain Indicators (CNPI)

(Write a 0 if the behavior was not observed, and a 1 if the behavior occurred even briefly during activity or rest.)

		With Movement	Rest
1.	Vocal Complaints: Non-verbal (Expression of pain, not in words, moans, groans, grunts, cries, gasps, sighs)		
2.	Facial Grimaces/Winces (Furrowed brow, narrowed eyes, tightened lips, jaw drop, clenched teeth, distorted expressions)		
3.	Bracing (Clutching or holding onto side rails, bed, tray table, or affected area during movement)		
4.	Restlessness (Constant or intermittent shifting of position, rocking, intermittent or constant hand motions, inability to keep still)		
5.	Rubbing: (Massaging affected area)		
`	dition, record Verbal complaint) Vocal complaints: Verbal (Words expressing discomfort or pain, "ouch", "that hurts"; cursing during movement, or exclamations of protest: "stop", "that's enough".)		
	Subtotal Scores		
	Total Score		

## References:

Feldt, K.S. (1996). Treatment of pain in cognitively impaired versus cognitively intact post hip fractured elders. (Doctoral dissertation, University of Minnesota, 1996). Dissertation Abstracts International, 57-09B, 5574. Feldt, K.S. (2000). The Checklist of Nonverbal Pain Indicators (CNPI). *Pain Management Nursing*, 1(1), 13-21.

